

CBS Europe

FORNITORE di COMPONENTI ELETTRONICI



WE PROVIDE **SOLUTIONS** THROUGH **INNOVATION**



Focused on passive &
interconnection components



Face-to-Face Customer
Manufacturer






E-Commerce **B2B**



Fondata nel 1998, CONNFLY Electronic Co., LTD opera soprattutto nel campo del R & S e del marketing per tutto quel che concerne il settore dei computer, dell'elettronica di consumo, delle telecomunicazioni, etc. CONNFLY ha ottenuto la certificazione relativa al sistema di gestione della qualità ISO9001: 2008 e la certificazione volta alla gestione dell'ambiente ISO14001: 2004 e tutti i loro prodotti sono congrui con le certificazioni: UL, FCC, SGS ecc. nonché ROHS.

I loro prodotti includono Micro Match, Machine Pin Series, D-SUB Metal Hoods, IC socie, D-SUB, USB, MINI-USB, DVI, Pin & Female Header, PLCC, FPC, DIN41612, Bread Board, IDC socket and Flat Cable ecc. La CONNFLY attribuisce grande importanza agli investimenti di R & S che le hanno permesso, nel 2011, di acquisire il nome di Ningbo che sta per "azienda riconosciuta a livello scientifico e tecnologico".



PRODUCTS

- Pin Header Series
- Female Series
- Battery Holders, Battery Socket Series
- Shrouded/Box Header, Micro Match, IDC Socket, DIP Plug Series
- D-SUB, Machine Pin, Screws & Nuts, Hood Series
- Automotive, PC104, PC104 Plus Series
- Wafer, Housing, Terminals, Cable Assembly, Wire Harness Series

- RJ11/RJ12/RJ45, PCB Jack, Modular Series
- USB, Mini USB, Micro USB, USB Type C Series
- FPC, PLCC Socket, FFCm, Flat Cable, Electronic Wire Series
- Centronic Connector, DIP Switch, Tact Switch Series
- LED Board To Board, Wire To Wire, Wire To Board Series

- Card Edge, Mini PCI & Socket, SIM & SD Card Series
- Mini DIN, DVI, HDMI Series
- Round Connector, 1394, DIN 41612 Series
- Read Board, Jumper Wire, Wash W/ Crimp Wire Series
- Crystal Socket, PCB to PCB Cylinder, DC & Audio Jack Series
- Water Proof Series
- Pogo Pin Series
- Board To Board Series

Signal transmission lines are primarily used for audio and video, data signal transmission, and charging connections, and are widely applied in computers, televisions, mobile phones, smart home appliances, and various smart devices.



Main application scenarios:

Conversion of HDMI interface, Notebook, PC, Blu-ray, DVDs, PS4 etc ... TO Type-C, interface projectors, TV, Monitors, etc ...

Type-C to HDMI A/M Signal Cable (metal casing)

- 4K*2K*60HZ
- 音视频同步
- 金属外壳
- 即插即用



Serie: DS1176

Function	Signalling
Resolution	AG9310 chip supports 4K 30HZ
	IT6563FN chip supports 4K 60HZ
Colour	Casing Colour: Silver/Black
Length	1.8M (Customizable)

Type-C to HDMI A/F Extension Cable (metal casing)

- 4K高清
- 音视频同步
- 金属外壳
- 即插即用



Serie: DS1176-01

Function	Signalling
Resolution	AG9310 chip supports 4K 30HZ
	IT6563FN chip supports 4K 60HZ
Colour	Casing Colour: Silver/Black
Length	0.2M (Customizable)

Type-C to USB 3.0 A/M data cable (metal casing)



Serie: DS1176-05

Function	Signalling/Charge
Chip	Not have
Max power	100W/5A
Transfer rate	5Gbps
Length	1.2M(Customizable)

Type-C to male to male data cable (metal casing)



Serie: DS1176-06

Function	Signalling/Charge
Chip	Built in E-Marker chip
Max power	100W/5A
Transfer rate	10Gbps
Length	1.2M/2M (Customizable)

Type-C male to female data cable (metal casing)



Serie: DS1176-07

Function	Signalling/Charge
Chip	Built in E-Marker chip
Max power	100W/5A
Transfer rate	10Gbps
Length	1.2M/2M (Customizable)

Type-C male to male data cable



Serie: DS1176-02

Function	Signalling/Charge
Chip	Built in E-MarkerChip
Resolution	4K
Max power	100W/5A
Transfer rate	10Gbps
Length	1M (Customizable)

Type-C to USB 3.0 A/M data cable



Serie: DS1176-03

Function	Signalling/Charge
Chip	Not have
Resolution	/
Max power	100W/5A
Transfer rate	5Gbps
Length	0.2M (Customizable)

Type-C to USB 3.0 elbow with screw data cable



Serie: DS1176-04

Function	Signalling/Charge
Chip	Not have
Resolution	/
Max power	100W/5A
Transfer rate	5Gbps
Length	3.5M (Customizable)

Type-C to USB 3.0 A/M fast charging data cable (metal casing)



Serie: DS1176-08

Function	Signalling/Charge
Chip	Not have
Max power	100W/5A
Transfer rate	5Gbps
Length	1.2M (Customizable)

Type-C to HMI A/M signal cable (ABS casing)



Serie: DS1176-09

Function	Signalling
Chip	Not have
Resolution	4K
Length	1.8M (Customizable)

Type-C to Micro-B 3.0 signal cable



Serie: DS1176-10

Function	Signalling
Chip	Not have
Transfer rate	5Gbps
Length	1M (Customizable)

Type-C to USB 3.0 B/M data cable



Serie: DS1176-12

Function	Signalling
Transfer rate	5Gbps
Length	1M (Customizable)

Type-C to USB 2.0 A/M data cable



Serie: DS1176-13

Function	Signalling
Transfer rate	480Mbps
Length	1M (Customizable)

Type-C to USB 2.0 A/M data cable (metal casing)



Serie: DS1176-14

Function	Signalling
Transfer rate	480Mbps
Length	1M (Customizable)
Colour	Tuhao Golden/Rose o Gold/Silver

Type-C to USB 2.0 A/M data cable



Serie: DS1176-15

Function	Signalling
Transfer rate	480Mbps
Length	1M (Customizable)

Type-C male to female extension line (I)



Serie: DS1176-16

Function	Signalling
Transfer rate	10Gbps
Length	0.1M (Customizable)

Type-C male to female extension line (II)



Serie: DS1176-17

Function	Signalling
Transfer rate	10Gbps
Length	0.3M (Customizable)

Type-C HUB Gigabit Converter



Serie: DS1176-18

Function	Converter (Gigabit)
Interface	Type-C
Input	USB 3.0
Output	RJ45+USB 3.0 Expansion
Chip	Built in RT8153B
Shell material	Aluminum alloy

Type-C HUB 100Mbps Converter



Serie: DS1176-19

Function	100Mbps Converter
Interface	Type-C
Input	USB 3.0
Output	RJ45+USB 3.0 Expansion
Chip	Built in AX888772A
Shell material	Aluminum alloy

USB 3.0 HUB Gigabit Converter



Serie: DS1176-20

Function	Converter (Gigabit)
Interface	USB 3.0
Input	USB 3.0
Output	RJ45+USB 3.0 Expansion
Chip	Built in RT8153B
Shell material	Aluminum alloy

USB 3.0 HUB 100Mbps



Serie: DS1176-21

Function	100Mbps Converter
Interface	USB 3.0
Input	USB 3.0
Output	RJ45+USB 3.0 Expansion
Chip	Built in AX888772A
Shell material	Aluminum alloy

USB 3.0 splitter (guitar style)



Serie: DS1176-22

Function	Converter
Interface	USB 3.0
Power supply port	Micro-B
Shell material	Aluminum alloy
DIM	23 x 9.5 x 2.8cm
Weight	Net weight 80g

Type-C HUB Converter



Serie: DS1176-23

Function	Converter
Interface	Type-C & USB 3.0
Adapter Socket	SD / TF
Shell material	Aluminum alloy

Type C to HDMI + VGA 2 in 1 Converter



Serie: DS1176-24

Function	Converter (Gigabit)
Interface	HDMI/VGA/Type-C/DC3.5
Input	Type-C
Shell material	Aluminum alloy

4 Port Type-C to USB 3.0 HUB



Serie: DS1176-25

Function	100Mbps Converter
Interface	USB 3.0
Input	Type-C
Output	USB 3.0
Chip	GL3520
Shell material	Magnesium alloy

Type-C to HDMI Single Port Converter



Serie: DS1176-26

Function	Converter
Transfer rate	5Gbps
Chip	VL100+PS176
Resolution	4K
Interface	Type-C + HDMI
Shell material	ABS

Type-C to HDMI Single Port Converter (Metal Housing)



Serie: DS1176-27

Function	Converter
Transfer rate	5Gbps
Chip	VL100+PS176
Resolution	4K
Interface	Type-C + HDMI
Shell material	Aluminum Alloy

Type-C to HDMI 3 in 1 Converter



Serie: DS1176-28

Function	Converter
Interface	Type-C + HDMI + USB 3.0
Resolution	4K
Transfer rate	5Gbps
Chip	LDR6023+PS76
Shell material	ABS

Type-C to USB 2.0 + HDMI + Type-C Converter



Serie: DS1176-29

Function	Converter
Transfer rate	5Gbps
Secure	Overvoltage/Overcurrent / Short-circuit Protection
Resolution	4K
Interface	Type-C + HDMI + USB 2.0
Shell material	Aluminum Alloy

Type-C to USB 3.0 + 2 x USB 2.0 Hub Converter



Serie: DS1176-30

Function	Converter
Interface	Type-C to USB 2.0+USB3.0 + Type-C
Shell material	Aluminum Alloy

Type-C to USB 3.0 Hub Converter



Serie: DS1176-31

Function	Converter
Interface	Type-C to USB3.0+Type-C
Resolution	4K
Transfer rate	5Gbps
Chip	VL100 + VL813
Shell material	Aluminum Alloy

Type-C to VGA 3 in 1 Converter



Serie: DS1176-32

Function	Converter
Transfer rate	5Gbps
Resolution	920x1440 / 60HZ
Chip	LDR6023+ITE650
Interface	Type-C+VGA+USB3.0
Shell material	ABS

Type-C to VGA 3 in 1 Converter (Metal Housing)



Serie: DS1176-33

Function	Converter
Trasfer rate	5Gbps
Resolution	920x1440 / 60HZ
Chip	LDR6023+ITE650
Interface	Type-C + VGA + USB3.0
Shell material	Aluminum Alloy

Type-C Universal OTG data cable



Serie: DS1176-34

Function	Connect your phone to a USB drive, mouse, keyboard, and more
Interface	Type-C + USB3.0 A/F
Resolution	4K
Trasfer rate	5Gbps

Type-C to RJ45 Sigal cable



Serie: DS1176-35

Function	Converter
Interface	Type-C + RJ45
Trasfer rate	1000M/s
Chip	RT8152B
Shell material	ABS

Type-C to Mini DP Female Converter



Serie: DS1176-36

Function	Converter
Interface	Type-C + Mini DP Female
Resolution	4K
Trasfer rate	100Gbps
Chip	PS171
Shell material	ABS

Type-C to DP Female Converter



Serie: DS1176-37

Function	Converter
Interface	Type-C + DP Female
Resolution	4K
Transfer rate	100Gbps
Chip	PS171
Shell material	ABS

Type-C revolving USB 3.0 BM square port printer data cable



Serie: DS1176-38

Function	Signalling / charge / Screen casting
Chip	Not have
Max Power	100W / 5A
Transfer rate	5Gbps
Length	1.2M (Customizable)

Type-C revolving USB 3.0 female OTG data cable



Serie: DS1176-39

Function	Connect your phone to USB flash drive, mouse, keyboard, etc
Chip	Not have
Interface	Type-C M + USB 3.0A/F
Transfer rate	5Gbps
Length	0.15M (Customizable)

Three in one fast charging data cable



Serie: DS1176-40

Function	Signalling / charge / Screen casting
Chip	Not have
Transfer rate	5Gbps
Length	1M (Customizable)

Type-C 3.1 Full Function data cable for Public to Public



Serie: DS1176-41

Function	Signalling / charge / Screen casting
Chip	Not have
Max Power	260W / 5A
Trasfer rate	10Gbps
Resolution	4K
Lenght	0.3 ~ 1M (Customizable)

Type-C 3.2 Full Function data cable male to female Ext.



Serie: DS1176-42

Function	Signalling / charge / Screen casting
Chip	Not have
Max Power	100W / 5A
Trasfer rate	20Gbps
Resolution	4K
Lenght	0.3 ~ 1M (Customizable)

Type-C to USB 2.0 A/M data cable



Serie: DS1176-43

Function	Signalling / charge
Chip	Not have
Trasfer rate	480Mbps
Lenght	1M (Customizable)

Type-C 3.1 Full Function data cable for Public to Public



Serie: DS1176-44

Function	Signalling / charge / Screen casting
Chip	Not have
Max Power	60W / 5A
Trasfer rate	10Gbps
Resolution	4K
Lenght	0.3 ~ 1M (Customizable)

Type-C 3.2 Full Function data cable male to female Ext.



Serie: DS1176-45

Function	Signalling / charge / Screen casting
Chip	Not have
Max Power	100W / 5A
Trasfer rate	20Gbps
Resolution	4K
Lenght	0.3 ~ 1M (Customizable)

Type-C Revolution USB 2.0 Female OTG data cable



Serie: DS1176-46

Function	Signalling / charge
Chip	Not have
Trasfer rate	480Mbps
Resolution	4K

Type-C fast magnetization data cable (metal casing)



Serie: DS1176-47

Function	Signalling / charge
Chip	Not have
Max Power	60W / 3A
Trasfer rate	480Mbps
Lenght	1M (Customizable)

Type-C fast magnetization data cable (night light)



Serie: DS1176-48

Function	Signalling / charge
Chip	Not have
Max Power	60W / 3A
Trasfer rate	480Mbps
Lenght	1M (Customizable)

Type-C to Lightning data cable (metal shell)



Serie: DS1176-49

Function	Signalling / charge
Chip	Not have
Max Power	30W / 3A
Trasfer rate	5Gbps
Lenght	1M (Customizable)

Type-C to Lightning Magnetic data cable (4 in 1)



Serie: DS1176-50

Function	Signalling / charge
Chip	Not have
Max Power	60W / 3A
Trasfer rate	480Mbps
Lenght	1M (Customizable)

Type-C to Magnetic data cable (network)



Serie: DS1176-51

Function	Signalling / charge
Chip	Not have
Max Power	60W / 3A
Trasfer rate	480Mbps
Lenght	1M (Customizable)

Type-C 3.0 data cable male to female ext.



Serie: DS1176-52

Function	Signalling / charge
Chip	Not have
Max Power	240W / 5A
Trasfer rate	10Gbps
Lenght	0.3 ~ 1M (Customizable)

Type-C 3.0 data cable male to female ext. (Black glossy leather)



Serie: DS1176-53

Function	Signalling / charge
Chip	Not have
Max Power	240W / 5A
Trasfer rate	10Gbps
Lenght	0.3 ~ 1M (Customizable)

Type-C 3.0 data cable male to male (Aluminum Shell)



Serie: DS1176-54

Function	Signalling / charge
Chip	Not have
Max Power	240W / 5A
Trasfer rate	10Gbps
Lenght	0.3 ~ 1M (Customizable)

Type-C 3.0 data cable male to female ext. (Aluminum Shell)



Serie: DS1176-55

Function	Signalling / charge
Chip	Not have
Max Power	240W / 5A
Trasfer rate	10Gbps
Lenght	0.3 ~ 1M (Customizable)

Type-C 3.1 data cable male to female ext.



Serie: DS1176-56

Function	Signalling / charge
Chip	Not have
Max Power	60W / 3A
Trasfer rate	5Gbps
Lenght	1M (Customizable)

DB9P Male to Female Adapter cable



Serie: DS1177

Function	Signalling
Interface	DB 9P Male + DB 9P Female
Colour	Beige
Lenght	2.8M (Customizable)

DB9P Female to 1394-6P Male Adapter cable



Serie: DS1177-01

Function	Signalling
Interface	DB 9P Female + 1394 6P Male
Colour	Black
Lenght	1.8M (Customizable)

DB9P Female to USB2.0 Adapter cable



Serie: DS1177-02

Function	Signalling
Interface	DB 9P Female + USB2.0 A/M
Colour	Black
Lenght	1M (Customizable)

DB25P Male to Female Extension cable



Serie: DS1177-03

Function	Signalling
Interface	DB 25P Male + DB 25P Female
Colour	White
Lenght	1M (Customizable)

Dual Female DB25P Connector cable



Serie: DS1177-04

Function	Signalling
Interface	DB 25P Female + DB 25P Female
Colour	Black
Lenght	1M (Customizable)

DB44P Male to DB9P Male 1 to 4 Adapter cable



Serie: DS1177-05

Function	Signalling
Interface	DB 44P Male + DB 9P Male
Colour	Black
Lenght	1M (Customizable)

Dual Head VGA Male Connector (3+6) cable



Serie: DS1178

Function	Signalling
Interface	HDB 15P Male + HDB 15P Male
Colour	Blue
Lenght	1M / 3M / 5M
Resolution	1080P

VGA Male to Mini VGA cable



Serie: DS1178-01

Function	Signalling
Interface	HDB 15P Male + Mini VGA
Colour	Blue + Black
Lenght	3M (Customizable)
Resolution	1080P

Dual Head VGA Male Connector (3+4) cable



Serie: DS1178-02

Function	Signalling
Interface	HDB 15P Male + HDB 15P Male
Colour	Black
Lenght	1M / 3M / 5M
Resolution	1080P

VGA Male to Male (3+6) 14-Pin cable



Serie: DS1178-03

Function	Signalling
Interface	HDB 15P Male + HDB 15P Male
Colour	White
Lenght	1M / 3M / 5M
Resolution	1080P

VGA Male to Female (3+6) cable



Serie: DS1178-04

Function	Signalling
Interface	HDB 15P Male + HDB 15P Female
Colour	Blue
Lenght	1M / 3M / 5M
Resolution	1080P

VGA Female to Female (3+6) cable



Serie: DS1178-05

Function	Signalling
Interface	HDB 15P Female + HDB 15P Female
Colour	Black
Lenght	1M / 3M / 5M
Resolution	1080P

Double ended DP high- definition connection cable



Serie: DS1179

Function	Signalling
Interface	DP Male + DP Male
Colour	Black
Lenght	1.2M (Customizable)
Resolution	4K

DP to Mini DP Ultra Clear Connection cable



Serie: DS1179-01

Function	Signalling
Interface	DP Male + Mini DP Male
Colour	Black
Lenght	1.2M (Customizable)
Resolution	4K

DP to DVI (24+5) Converter



Serie: DS1179-02

Function	Signalling
Interface	HDB 15P Male + HDB 15P Female
Colour	Blue
Lenght	1M / 3M / 5M
Resolution	1080P

DP Male to HDMI Female Converter (Small Shell)



Serie: DS1179-03

Function	Signalling
Interface	DP Male + HDMI Female
Colour	Black
Lenght	0.15M
Resolution	4K

DP Male to HDMI Female Converter



Serie: DS1179-04

Function	Signalling
Interface	DP Male + HDMI Female
Colour	Black
Lenght	0.15M
Resolution	4K

DP Male to VGA Female Converter



Serie: DS1179-05

Function	Signalling
Interface	DP Male + HDB 15P Female
Colour	Black
Lenght	0.15M
Resolution	1080P

DP to DVI (24+5) Converter



Serie: DS1178-04

Function	Signalling
Interface	HDB 15P Male + HDB 15P Female
Colour	Blue
Lenght	1M / 3M / 5M
Resolution	1080P

Mini DP to HDMI Male Conversion cable



Serie: DS1180

Function	Signalling
Interface	Mini DP Male + HDMI Male
Colour	White
Lenght	1.5M (Customizable)
Resolution	4K

Mini DP to Mini DP Ultra Clear Connection cable



Serie: DS1180-01

Function	Signalling
Interface	Mini DP Male + Mini DP Male
Colour	Black
Lenght	1M (Customizable)
Resolution	4K

Mini DP to DVI Female Converter



Serie: DS1180-02

Function	Signalling
Interface	Mini DP Male + DVI (24+5) Female
Colour	White
Lenght	0.15M
Resolution	2K
Shell Material	ABS

Mini DP to HDMI Female Converter (Small Shell)



Serie: DS1180-03

Function	Signalling
Interface	Mini DP Male + HDMI Female
Colour	White
Lenght	0.15M (Customizable)
Resolution	4K
Shell Material	ABS

Mini DP to HDMI Female Converter



Serie: DS1180-04

Function	Signalling
Interface	Mini DP Male + HDMI Female
Colour	White
Lenght	0.15M (Customizable)
Resolution	4K
Shell Material	ABS

Mini DP to VGA Converter




Serie: DS1180-05

Function	Signalling
Interface	Mini DP Male + HDB 15P Female
Colour	White
Lenght	0.15M
Resolution	1080P
Shell Material	ABS


SSD Solid Strate Drive Box

Serie: DS1176-11



The product comes with a Type-C to Type-C high-speed data cable (USB 3.1 Gen 2 standard), supporting a data transfer rate of 10 Gbps

Product Name	SSD Hard Disk Box
Product Material	Aluminum Alloy
Motherboard interface	PCIe M.2 (M Key)
Product color	Silver/Titanium Air Grey
Installation method	fixed with screws
Interface	Type-C
Transmission rate	10Gbps



DVI Male to Male Connection cable



Serie: DS1181

Function	Signalling
Interface	DVI (18+1) Male + DVI (18+1) Male
Colour	Black
Lenght	1M / 3M / 5M
Resolution	2K
Shell Material	PVC

DVI Male to Female extension cable



Serie: DS1181-01

Function	Signalling
Interface	DVI (18+1) Male + DVI (24+1) Female
Colour	Blue
Lenght	1.2M (Customizable)
Resolution	2K
Shell Material	PVC

DVI (12+5) Male to VGA connection cable



Serie: DS1181-02

Function	Signalling
Interface	DVI (12+5) Male + HDB 15P Male
Colour	Black
Lenght	1.2M (Customizable)
Resolution	1080P
Shell Material	PVC

DVI (12+5) to 5 BNC conversion cable



Serie: DS1181-03

Function	Signalling
Interface	DVI (12+5) Male + BNC
Colour	Black
Lenght	0.3M (Customizable)

DVI (24+5) to VGA Female + 6 BNC conversion cable



Serie: DS1181-04

Function	Signalling
Interface	DVI (24+5) Male + HDB 15 P Female + BNC
Colour	Blue
Lenght	0.2M (Customizable)

DVI (24+5) to MD4P/F + BNC + RCA/F x 5 conversion cable



Serie: DS1181-05

Function	Signalling
Interface	DVI (24+5) Male + MD4P + BNC + RCA
Lenght	0.2M (Customizable)

DVI (24+5) to RCA Female conversion cable



Serie: DS1181-06

Function	Signalling
Interface	DVI (24+5) Male + RCA
Lenght	0.2M (Customizable)

HDMI high-definition cable



Serie: DS1182

Function	Signalling
Interface	HDMI AM + HDMI AM
Colour	Black
Lenght	1M (Customizable)
Resolution	4K

HDMI Male to Female extension cable



Serie: DS1182-01

Function	Signalling
Interface	HDMI AM + HDMI AF
Colour	Black
Lenght	0.5M (Customizable)
Resolution	4K

HDMI high-definition cable (Metal Casing)



Serie: DS1182-02

Function	Signalling
Interface	HDMI AM + HDMI AM
Colour	Black
Lenght	1M (Customizable)
Resolution	4K
Shell Material	Aluminum Alloy

HDMI high-definition cable (Ethernet)



Serie: DS1182-03

Function	Signalling
Interface	HDMI AM + HDMI AM
Colour	Black and yellow dual tone
Lenght	5M (Customizable)
Resolution	4K

HDMI D/M to Micro-B adapted cable



Serie: DS1182-04

Function	Signalling
Interface	HDMI DM + Micro-B
Colour	White

HDMI A/M to HDMI C/M adapter cable



Serie: DS1182-05

Function	Signalling
Interface	HDMI AM + HDMI CM
Colour	Black
Lenght	0.5M (Customizable)
Resolution	4K

HDMI A/M to HDMI D/M adapter cable



Serie: DS1182-06

Function	Signalling
Interface	HDMI AM + HDMI DM
Colour	Black
Lenght	0.5M
Resolution	4K

HDMI A/M with ear to HDMI D/M elbow conversion cable



Serie: DS1182-07

Function	Signalling
Interface	HDMI AM + HDMI AM
Colour	Black
Lenght	0.15M
Resolution	4K

HDMI to DVI connection cable



Serie: DS1182-08

Function	Signalling
Interface	HDMI AM + DVI (18+1) Male
Colour	Black
Lenght	1.2M (Customizable)
Resolution	2K

HDMI A/M to DVI (24+5) Female connection cable



Serie: DS1182-09

Function	Signalling
Interface	HDMI AM + DVI (24+5) Female
Colour	Blue
Lenght	1M
Resolution	2K

HDMI A/M to HDMI D/M adapter cable



Serie: DS1182-10

Function	Signalling
Interface	HDMI AM + HDB 15P Female
Colour	Black
Lenght	0.1M
Resolution	1080P
Chip	Built in 6200Chip

3RCA Male to 3RCA Male Audio and Video cable



Serie: DS1183

Function	Signalling
Interface	3xRCA + H3xRCA
Lenght	0.2M

DC3.5 to 3RCA 1/3 Audio and Video cable



Serie: DS1183-01

Function	Signalling
Interface	2RCA + DC3.5
Lenght	1M

DC3.5 to 3RCA 1/3 Audio and Video cable



Serie: DS1183-02

Function	Signalling
Interface	3xRCA + DC3.5
Lenght	0.5M

DC3.5 to 3RCA Female 1/3 Audio and Video cable



Serie: DS1183-03

Function	Signalling
Interface	3xRCA + DC3.5
Lenght	0.5M

DVI (24+5) to 4RCA conversion cable



Serie: DS1183-04

Function	Signalling
Interface	4xRCA + DVI (24+5) Male
Lenght	0.5M

Double head TV9.5 Male high-definition video cable



Serie: DS1183-05

Function	Signalling
Interface	TV9.4 Male + TV9.5 Male
Lenght	1.5M

DC3.5 to 3RCA 1/3 Audio and Video cable



Serie: DS1183-06

Function	Signalling
Interface	3xRCA Female + HDB 15P Male
Lenght	0.5M

NEW

Mini DP to Mini DP Ultra clear connection cable



Serie: DS1180-03A

Function	Signalling
Interface	Mini DP Male + Mini DP Male
Colour	White
Lenght	0.3M (Customizable)
Resolution	4K
Shell Material	ABS

NEW

HDMI 2.1 High Definition cable (ext. Network)



Serie: DS1182-11

Function	Signalling
Interface	HDMI AM + HDMI AM
Colour	Black
Lenght	0.5M / 1M (Customizable)
Resolution	8K@60Hz 4K@144Hz 2K@240Hz

NEW

USB 3.0 AM to Micro USB /
BM with lock screw hole



Serie: DS1163-24

Function	Signalling / charge
Trasfer rate	5Gbps
Lenght	1M (Customizable)

NEW

USB 3.0 AM to BM with
printing cable high speed



Serie: DS1163-25

Function	Signalling / charge
Trasfer rate	5Gbps
Lenght	1M (Customizable)

NEW

USB 3.0 AM to AF extension
cable high speed



Serie: DS1163-26

Function	Signalling / charge
Trasfer rate	5Gbps
Lenght	1M (Customizable)

NOTE



CBS Europe

Srl

Via A. Segni, 3 Loc. Campocavallo di Osimo (AN)

Tel. 071.7232409

www.cbs.it – cbs@cbs.it